




00	NATITACE AND LANG.	# ECN#	DATE	REVISION	DESCRIPTION.	) E	ECN# DATE
2	RELEASE SCHEMATIC REV AD TO PRODUCTION	1	4.17.95				-
Α1	PUT STANDOFFS IN "D4" LEVEL, MOUNT LEDS ON SOLDER SIDE	42	4.18.95				
A2	ADD R134, R334	300	4.18.95				
A3	DELETE 70-4130 ADD 70-4123	1327	1/23/97				
P4	CHANGE 44-0026 TO 44-0051, CHANGE 36-1111 TO 36-1034, CHANGE 72-4262 TO 72-4062, CHANGE 72-4262 TO 72-4062,	1389	04/07/97				
	7004-7-7-1404-7-7-7-7-7-7-7-7-7-7-7-7-7-7-7-7-7-7-			-			
							ijŢ
							W
					VINA II		
					056160A4,001 1056160A4,002 1056160A4,003 056160A4,003	dbx PROFESSIONAL PRODUCTS 8760 South Sandy Parkway	CTS
					105616084.005	Sandy, Utah 84070	












Title Sanat Utan 64070

dbx 274 Quad ExpandeR/GATE (CH 1-2) 80-6160

Size Document Number | REV | REV | B | B |



DOD	Software								Pac
хqр	EXPANDER/GATE	80-6160	Revised:		April 7,	1997			
056	0A4.000		Revision:	on: A4					
Bill	.l Of Materials	April 8,		14:03:05					
Quan	n Reference	Part	SYMAN	Descr	Description				
,	5	1000835E4	60-0321	1000	uF Can	35V -	-20/+100% Elect.	Elect. Long Lead	
2 8		. 1MD3	62-0060	r-1			20%	AXL	
	C11, C12, C								
	C17, C18, C19, C20, C21, C22,								
	C23, C24, C25, C26, C108,								
	C208, C308, C408								
73	C27, C28	33S63E1	60-0324	33	uF Cap	63V		Alum, Rad	
16	C100, C101, C102, C103, C106,	LOCOPJICOM	62-0061	1000	pF Cap	100T	ъ %	Ceramic AXL, NPO	
	C200, C201, C206, C300, C301,								
	C302, C303, C306, C400, C401,								
	C406								
4	C104, C204, C304, C404	22NPS25E1	60-0322	22	uF Cap	25V -2	-20/+20%	Elect. NP	
4,	C105, C205, C305, C405	47PJ100M3	62-0064	47	рғ Сар	100V	5%	Ceramic AXL, NPO	
œ	C107, C111, C207, C211, C307,	.39J50F	56-3105	989	uF Cap	50V	۳۰ %	M/Plyes Rad	
4	C109, C209, C309, C409	1863E1	60-0316	H	uF Cap	63V -2	-20/+100%	Alum Rad TER	
4,		.1J63B	56-5032	۲.	uF Cap	637	₩ %	M/Plyes Rad Box	
4	C112, C212, C312, C412	.0015J63F1	56-5021	.0015	uF Cap	63V	%	M/Plyes Rad TER	
4,		.047J63F1	56-3102	.047	uF Cap	03V	ري %	M/Plyes Rad T&R	
4		4.7S63E1	60-1029	4.7		63V -2	-20/+20%	Elect Ter	
4		1N4004	70-009	1N4004		1A 4	Λ		
9	CR100.CR101.CR102.CR103.	LEDG702100	70-2100	Green	н		ing Diode,	e, T1 Case	
) I	CR200 CR201 CR202 CR203				)				
	(1000) (1000) (1000) (1000)								
C	CATO, CATOT, CATOS	077777	000	0 1 L L L L L		7.1.0	מיילטז ימים יווים מלים יח	75 170 140 140	
0 A	CKIO4, CKIO3, CKIO3, CKIO1,	0 5 7 5 11 7	7000	0 F T F S T		71112	מוד מאדר		
	CR304, CR305, CR306, CR307,								
	CR308, CR309, CR311, CR316,								
	CR404, CR405, CR406, CR407,								
	CR408, CR409, CR411, CR415								
φ	CR110, CR210, CR218, CR310,	LEDR702086	70-2086	Red	Light	Light Emitting	ng Diode,	e, T1, C/B0.1	
	CR410, CR418								
00	CR112, CR115, CR212, CR217,	LEDG702087	70-2087	Green	Light	Light Emitting	ng Diode,	e, T1.75 Case, C/B0.1	
•									
4	CR113, CR213, CR313, CR413	LEDY702088	70-2088	Yellow		Emitti	Light Emitting Diode,	, Tl.75 Case, C/B0.1	
4	CR114, CR214, CR314, CR414	1N5223	70-0041	1N5223		Zenez	Diode Zener Glass,	1/2W, 50V, 10%	
73	E1, E2	PA1	0000-00	ч	Pin Pad 1	Pattern	Pad Pattern, Not a part	part	
Ŋ	HS1, HS2	HS704215	70-4215	Heatsink,		PCB Mount,		for TO-220	
Н	ICI	7815-V	70-4123	7815 +	+15 Volt	1. A	Voltage	ye Regulator TO-220 VERT	ERT
н	IC2	7915	70-4124	7915 -	-15 Volt	1 A	Voltag	Voltage Regulator TO-220	
4	IC100, IC200, IC300, IC400	NE5532	72-4316	5532 L	Low Noise Dual		Op-Amp		
5	TO401 TO501 TO401	1767	72-4062		hy ITDC1.	5 СТС СТС	dbx UPC1252HA2 NEC Ungraded	ר פר מי	

LM339 Quad Comparator
10 Pin Hdr, 5X2, Straight, .23", 0.1" spacing
16 Pin Ribbon Cable, Flat w/2 ends, 3.00", 0.1" spacing

72-4306

LM339D HDR322111 RC380217

38-0217

J2,J3 ᇊ

4 0

72-4321

CA3046D

TL074D

IC102, IC202, IC302, IC402 .IC103, IC105, IC203, IC205,

IC303, IC305, IC403, IC405 IC104, IC204, IC304, IC404 IC106, IC206, IC306, IC406

4

CA3046 Matched Transister Pairs BPO

VCA, dbx UPC1252HA2 NEC Ungraded RMS Detector, dbx UPC1253HA2 NEC TL074 Quad JFet-Input Op-Amp

72-4062 72-4067 72-4320

1252 1253

IC101, IC201, IC301, IC401

Н	J4	J322112	32-2112	р Д	Socket, Hor	Hor. PC Mount,		2.5/5.5mm
10	J100, J101, J102, J200, J202,	J322110	32-2110	Jacl	Jack, 1/4" P	hone, P	mom 2	Phone, PC Mount, Hor., Cliff S2
	J300, J301, J302, J400, J402							
77	P2, P3	PA8X2	0000-00	8X2	Pin Pad P	Pattern,	Not a	a part
Н	PCB1	80-6160-A	80-6160-A	dpx	274 MAIN/DISPLAY PCB,	ISPLAY		RAW
4	Q101,Q201,Q301,Q401	2N4402	70-1035	2N4402	102 PNP,	TR SIGNAL	TAL	
36		49.9K 1% N	M 52-1620	49.9	49.9 KOhm Resistor	stor 1%	1/8	Watt Carbon Film Mini
	R126,R128,R146,R149,R200,							
	R201, R202, R203, R212, R226,							
	R249, R252, R253, R300, R301,							
	R302, R303, R312, R326, R328,							
	R346, R349, R400, R401, R402,							
	R403, R412, R426, R449, R452,							
	R453							
9	R104, R127, R227, R304, R327,	2.00K 1% M	1 52-1624	2.00	2.00 KOhm Resistor	stor 1%	1/8	Watt Carbon Film Mini
	R427							
00	R105, R109, R205, R209, R305,	20.0K 1% M	52-1630	20.0	KOhm Resistor	stor 1%	1/8	Watt Carbon Film Mini
	R309, R405, R409							
4	R106, R206, R306, R406	5.1K M	50-0409	5.1	KOhm Resistor	stor 5%	1/8	Watt Carbon Film Mini
12	R107, R110, R147, R207, R210,	47 M	50-0406	47	Ohm Resistor	tor 5%	1/8	Watt Carbon Film Mini
	R247, R307, R310, R347, R407,							
	R410, R447							
4	R108, R208, R308, R408	150K M	50-0402	150	KOhm Resistor	tor 5%	1/8	Watt Carbon Film Mini
32	R111, R122, R123, R140, R141,	10.0K 1% M		10.0	KOhm Resistor	tor 1%	1/8	Watt Carbon Film Mini
	R150, R151, R152, R211, R222,							
	R223, R240, R241, R246, R250,							
	R251, R311, R322, R323, R340,							
	R341, R350, R351, R352, R411.							
	D422 D423 D440 D441 D446							
	N444, N443, N440, N441, N440,							
	היים היים היים היים היים היים היים היים	2	200	Ċ	1 0 md 0	; ;	١ /٥	Water Carpon Bills Mini
t s	KILS, KZIS, KSIS, K#IS	70 F	2010400	0 7	5			
# 1	KL14, K214, K314, K414	e H		7.7				Carbon Firm
∞	R115, R119, R215, R219, R315,	22M D	50-2442	22	MOnm Resistor	tor 5%	1/4	watt Carbon Film DBX
	R319, R415, R419							
4	R116, R216, R316, R416	560K M	50-0485	260	KOhm Resistor	_		Carbon Film
ω	R117, R129, R217, R229, R317,	1.5M M	50-0404	1.5	Mohm Resistor	tor 5%	1/8	Watt Carbon Film Mini
	R329, R417, R429							•
00	R118, R145, R218, R245, R318,	1.00K 18 M	52-1623	1.00	KOhm Resistor	tor 1%	1/8	Watt Carbon Film Mini
	R345, R418, R445							
œ	R120, R125, R220, R225, R320,	523K 1% M	52-1610	523	Kohm Resistor	tor 1%	1/8	Watt Carbon Film Mini
	R325, R420, R425	٠	-					
4	R121, R221, R321, R421	2.2M M	50-0408	2.2	Mohm Resistor	tor 5%	1/8	Watt Carbon Film Mini
∞	R124, R132, R224, R232, R324,	475 18 M	52-1600	475	Ohm Resistor	tor 1%	1/8	Watt Metal Film Mini
	R332, R424, R432						•	
10	R130, R134, R155, R230, R256,	200 18 M	52-1618	200	Ohm Resistor	tor 1%	1/8	Watt Carbon Film Mini
	R330, R334, R355, R430, R456							
16	R131, R135, R143, R148, R231,	100K 18 M	52-1635	100	Kohm Resistor	tor 1%	1/8	Watt Carbon Film Mini
	R235, R243, R248, R331, R335,							
	R343, R348, R431, R435, R443,							
	R448	,						·
4	R136, R236, R336, R436	%	52-1625	3.01	KOhm Resistor	tor 1%		Watt Carbon Film Mini
4	R137, R237, R337, R437	3.24K 1% M	52-1603	3.24	KOhm Resistor	tor 1%	1/8	Watt Carbon Film Mini

Revised: April 7, 1997	44	25	Description	
Revised:	Revision: A4	April 8, 1997 14:03:05	SYMAN	
80-6160		April 8	Part	
dbx 274 QUAD EXPANDER/GATE 80-6160	05616024.000	Bill Of Materials	Quan Reference	

DOD Software

ω	R138, R139, R238, R239, R338, 124K 1% M	, 124K 1% M	52-1621	124	KOhm	KOhm Resistor	r 1%	1/8		Carbon	Watt Carbon Film Mini
	R339, R438, R439										
4	R142, R242, R342, R442	210 1% M	52-1622	210		Ohm Resistor	r 1%	1/8		Carbon	Watt Carbon Film Mini
4	R144, R244, R344, R444	35.7K 1% M 52-1606	52-1606	35.7	KOhm	35.7 KOhm Resistor	1% L	1/8	Watt	Metal I	Watt Metal Film Mini
10	R153, R154, R228, R254, R255,	3.0K M	50-0405	3.0		KOhm Resistor	r 5%	1/8	Watt	Carbon	Watt Carbon Film Mini
	R353, R354, R428, R454, R455										
9	S100, S200, S201, S300, S400, SW440051	SW440051	44-0051	Mini	In/on	Mini In/Out 4PDT Switch (12 Pin) E-Switch	Switch	(12	Pin) E	-Switch	
	S401 .										-
9	SC1, SC2, SC3, SC4, SC5, SC6	SC340125	34-0125	Swit	ch Cap	Switch Cap, Black					
7	TP3, TP4, TP5, TP100, TP200,	TP360095	36-0095	2 Pi	n Test	2 Pin Test Point For DBX	for DB	×			
	TP300, TP400										
ω	VR100, VR101, VR200, VR201,	50K420222 42-0222	42-0222	20	K Tri	K Trim Pot,	Vertical	cal	Moun	Mount, 3/4 turn	turn
	VR300, VR301, VR400, VR401										
4	VR102, VR202, VR302, VR402	50K402081	40-2081	20	K "B"		16mm, Rot Pot,	ot,	15mm	D shaf	15mm D shaft horiz mt.
4	VR103, VR203, VR303, VR403	5K402084	40-2084	Ŋ	K "C"	16mm,	16mm, Rot Pot,	ot,	15mm	D shaf	15mm D shaft horiz mt.
ω	VR104, VR105, VR204, VR205,	1M402094	40-2094	Т	M "D"		16mm, Rot Pot,	ot,	15mm	15mm D Shaft	ŗ,
	VR304, VR305, VR404, VR405										
Н	Wl	W361034	36-1034	Wire	, 2 Enc	Wire, 2 End, 3.00", Green,	)", Gr	een,	26AWG PVC	PVC	
10	WA100, WA101, WA102, WA200,	WA283345	28-3345	Wash	Washer, Ground	ound					
	WA202, WA300, WA301, WA302,										
	WA400, WA402										